

2026

CABINETRY  
SPECIFICATION  
GUIDE | 2026

---

Cabinets Manufacturer

# CARB2 CERTIFICATION



We are proud to be a CARB2 Certified kitchen cabinet manufacturer. Our cabinets comply with the rules and regulations of composite wood products established by the California Code of Regulations, nationally implemented by the EPA.

# Items That We Make While...

Many Others don't Carry

## \* Reversible Vanity Base

**VB12 VB15 VB18 VB21 VB24 VB27 VB30**

## \* Vanity Drawer Base

**3VDB21 3VDB24 3VDB27**

## \* Kitchen Base

**BSDC6 BT6 B39 B42**

## \* Kitchen Drawer Base

**3DB27 3DB33 3DB36**

**2DB30 2DB33 2DB36**

## \* Kitchen End Base

**BOE12 BEC24**

## \* Kitchen Wall

**W3930 W3936 W3942**

## \* Kitchen Stackable Wall

**W0918 W1218 W1518 W1818 W2118**

**W2418 W2718 ERC2418 DCW2418**

## \* Kitchen Corner Base

**BBC36 LSB33 DCSB42** (Corner Sink Base)

## \* Kitchen Corner Wall

**DCW2736 DCW2742**

**ERC2430 ERC2436 ERC2442** (90 Degree Corner)

## \* Pantry With Odd Height

**U1864 U1870 U1876 U1888 U18100**

**U2464 U2470 U2476 U2488 U24100**

## \* 36" Pantry With Drawers At the Bottom

**U3684 U3690 U3696**

## TABLE OF CONTENTS

Door Styles	
Milton Black	1
Milton White	1
Milton Oak	1
Shaker White	2
Shaker Taupe	2
Shaker Blue	2
Jade Green	3
Charleston Mountain	3
Charleston Pure White	3
Alton Ivory White	4
Alton Stone Grey	4
Alton Iced Mocha	4
Shaker Espresso	5
Cabinet Construction	6
Wall Cabinets	7
Base Cabinets	20
Tall Cabinets	29
Bath Cabinets	32
Panels and Skins	35
Molding and Trim	41
Roll Outs	34
Trash Can Pull Out	53
Hardware	56
Touch-Up	51
Cleaning, Care, and Maintenance	55
Product and Finish Information	57
Warranty	58


## Table of Contents

## DOOR STYLES

## Milton Black

Order Code: **MB**



- Full overlay door style
- Full MDF Door
- Solid wood frame
- One piece drawer front
- Matt Black Paint



## Milton White

Order Code: **MW**


- Full overlay door style
- Full MDF Door
- Solid wood frame
- One piece drawer front
- Ivory White Paint



## Milton Oak

Order Code: **MO**

- Full overlay door style
- Full MDF Core, Wood Trim
- Solid wood frame
- One piece drawer front
- Stained Natural Wood Skin




## DOOR STYLES



### Shaker White

Order Code: **SW**


- Full overlay door style
- Hardwood species
- Solid wood mortis and tenon stile and rail
- 5-piece drawer front
- Painted MDF center panel
- White paint



### Shaker Taupe

Order Code: **ST**


- Full overlay door style
- Hardwood species
- Solid wood mortis and tenon stile and rail
- 5-piece drawer front
- Painted MDF center panel
- Taupe / Beige color paint



### Shaker Blue

Order Code: **SB**

- Full overlay door style
- Hardwood species
- Solid wood mortis and tenon stile and rail
- 5-piece drawer front
- Veneered MDF center panel
- Blue satin paint




## DOOR STYLES

### Jade Green




Order Code: **JG**

- Full overlay door style
- Hardwood species
- Solid wood mortis and tenon stile and rail
- 5-piece drawer front
- Painted MDF center panel
- Green paint



### Charleston Mountain

Order Code: **CM**




- Full overlay door style
- Hardwood species
- Solid wood mitered stile and rail
- 5-piece drawer front
- Solid wood center panel
- Slate Blue-Gray Paint



DOOR STYLES

### Charleston Pure White

Order Code: **PW**



- Full overlay door style
- Hardwood species
- Solid wood mitered stile and rail
- 5-piece drawer front
- Solid wood center panel
- Pure white paint



## DOOR STYLES




## Alton Ivory White

Order Code: **WA**

- Full overlay door style
- 5-piece drawer front
- Full MDF Door and Drawer
- Solid wood Frame

- Classic Ivory Paint
- Unique Easy Clean Profile



6 1/4"


22 1/2"



## Alton Stone Grey

Order Code: **AG**

- Full overlay door style
- Hardwood species
- Solid wood mortis and tenon stile and rail
- 5-piece drawer front
- Stained MDF center panel
- Charcoal Grey Stain
- Unique Easy Clean Profile



6 1/4"


22 1/2"



## Alton Iced Mocha

Order Code: **AM**

- Full overlay door style
- Hardwood species
- Solid wood mortis and tenon stile and rail
- 5-piece drawer front
- Stained MDF center panel
- Sandy Tone Stain
- Unique Easy Clean Profile



6 1/4"


22 1/2"




## Shaker Espresso

Order Code: **SE**

- Full overlay door style
- Hardwood species
- Solid wood mortis and tenon stile and rail
- 5-piece drawer front
- Veneered MDF center panel
- Dark brown stain



# CABINET CONSTRUCTION



## 1 • INTERIOR

Veneered Natural hardwood interior

## 2 • FACE FRAME

3/4" solid hardwood face frame

## 3 • END PANELS

1/2" veneered plywood end panels  
with white exterior finish

## 4 • FLOOR & CEILING PANELS

1/2" veneered plywood, captured floor  
and ceiling panels with natural finish

## 5 • BACK PANEL

1/2" framed with plywood back

## 6 • SHELVING

3/4" veneered plywood, full  
depth, adjustable shelving  
with metal shelf clips

## 7 • DOOR FRONT

Full overlay, solid hardwood stile  
and rail with 6-way adjustable,  
concealed, soft close hinges

## 8 • DRAWER BOX

Full overlay drawer front with 3/4"  
finger jointed hardwood, dovetail  
drawer box with 3/8" veneered  
plywood bottom and full extension,  
undermount, soft close drawer glides  
(rated 100 lbs.)

## 9 • CORNER BRACES

7/8" solid wood corner braces

## 10 • TOE KICK

4 1/2" high and 1/2" thick veneered  
plywood, unfinished toe kick

# WALL CABINETS

## CABINET IDENTIFICATION

The letter(s) represent the type of cabinet, the first set of numbers represents the width of the cabinet, and the second set of numbers represents the height of the cabinet.

**W 30 12**

Wall Cabinet      Cabinet Width      Cabinet Height

Whenever a cabinet is shorter or deeper than the standard 12" for wall cabinets, it is represented by a third set of numbers.

**W 36 18 24**

Wall Cabinet      Cabinet Width      Cabinet Height      Cabinet Depth

## ORDER CODING

All wall cabinet order coding begins with the door order code

Example: **SW W1830**

## SPECIAL NOTES

- Wall cabinetry is 12" deep less otherwise noted
- Single door wall cabinetry is hinged on the right side of the face frame but can be flipped as necessary



## AVAILABILITY KEY

	Indicates availability
	Indicates no availability



Look for the lightbulb for helpful design tips!

If you're looking for other colors' stackable cabinets, please contact us for availability!



## Wall Single Door 18" High

Order Code: **W0918**  
**W1218**  
**W1518**  
**W1818**  
**W2118**

	MB
●	MW
●	MO
●	WA
	AG
●	AM
●	SW
●	ST
	SB
●	JG
	CM
	PW
	SE

## Wall Double Door 18" High


Order Code: **W2418**  
**W2718**  
**W3018**  
**W3318**  
**W3618**

- No shelf

## Stackable Wall Diagonal Corner 18" High


Order Code: **DCW2418**

- 12" deep, 24" wide
- No shelves




●	MB
●	MW
●	MO
●	AW
	AG
●	AM
●	SW
●	JG
	SB
●	ST

●	MB
●	MW
●	MO
●	AW
	AG
●	AM
●	SW
●	JG
	SB
●	ST



## Stackable Wall EasyReach Corner 18" High

Order Code: **ERC2418**




## Wall Bridge Double Door 12" High

Order Code: **W3012**  
**W3612**

- No shelf

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE




## Wall Bridge Double Door 15" High

Order Code: **W3015**  
**W3615**

- No shelf

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE



## Wall Bridge Double Door 18" High

Order Code: **W3018**  
**W3318**  
**W3618**

- No shelf

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE

## WALL CABINETS


## Wall Bridge Double Door 21" High

Order Code: **W3021**  
**03321\***  
**W3621**

- No shelf

**\*** Modified from 0332124

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE




## Wall Bridge Double Door 24" High

Order Code: **W3024**  
**W3324\***  
**W3624**

- One adjustable shelf

**\*** Modified from 0332424

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE




## Oven Upper Cabinet Double Door 24" Deep


Order Code:  
**0331824**  
**0332124\***  
**0332424**  
**0333024**

- One adjustable shelf for 24"/30" H
- Can be used as Refrigerator Cabinet

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE



**\*** Can be used as Farmer Sink Base



## Wall Bridge Refrigerator Double Door 24" Deep


Order Code: **W302124 \***  
**W302424**

**W361224**  
**W361524**  
**W361824**  
**W362124 \***  
**W362424**

- One adjustable shelf (*W362424 Only*)

**\*** Can be used as Farmer Sink Base

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE




## Wall Single Door 30" High

Order Code: **W0930**  
**W1230**  
**W1530**  
**W1830**  
**W2130**

- Two adjustable shelves

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE



## Wall Single Door 36" High

Order Code: **W0936**  
**W1236**  
**W1536**  
**W1836**  
**W2136**

- Two adjustable shelves

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE


## WALL CABINETS

## Wall Single Door

42" High • Three adjustable shelves

Order Code: **W0942****W1242****W1542****W1842****W2142**

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE




## Wall Double Door

30" High • Two adjustable shelves

Order Code: **W2430****W2730****W3030****W3330****W3630****W3930\***

\* Frame has middle vertical stile

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE




## Wall Double Door


36" High • Two adjustable shelves

Order Code: **W2436****W2736****W3036****W3336****W3636****W3936\***

\* Frame has middle vertical stile

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE






## Wall Double Door 42" High

• Three adjustable shelves

Order Code: **W2442****W2742****W3042****W3342****W3642****W3942\***

\* Frame has middle vertical stile

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE




## Angled Triangle Wall

Order Code: **AW1230****AW1236****AW1242**

- **AW1230** has two adjustable shelves
- **AW1236** has two adjustable shelves
- **AW1242** has three adjustable shelves

●	MB
	MW
	MO
●	AW
●	AG
●	AM
●	SW
	ST
●	SB
	JG
●	CM
●	PW
●	SE



## End Shelf Wall

Order Code: **OE0930****OE0936****OE0942**

\* We still have some OE0630/0636/0642 available  
OE1230/1236/1242  
Please call us to check availability

●	MB
	MW
	MO
●	AW
●	AG
	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE


## WALL CABINETS

Wall Diagonal Corner  
12" Deep


Order Code: **DCW2430**  
**DCW2436**  
**DCW2442\***

- 12" deep, 24" wide
- Two adjustable shelves


●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE




TOP VIEW



Build out 3" from wall to portray deeper sides (dimensional)



TOP VIEW



## Wall Diagonal Corner 15" Deep

Order Code: **DCW2736\***  
**DCW2742**

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CS
●	PW
●	SE

- 15" deep, 27" wide
- Two adjustable shelves
- Design with staggered height wall cabinets, allowing crown on adjacent cabinetry to tie into 15" deep sides

\* FRAME/DOOR are the same as DCW2436/2442

## NOTES

---



---



---



---



---


## WALL CABINETS

## Wall Blind Corner

Order Code: **WBC2730**  
**WBC2736**  
**WBC2742\***


- 27" wide
- Two adjustable shelves
- Can be pulled up to 3" from the adjacent wall for a total of 30" wide
- Cabinet can be flipped for left/right application
- Hinges are located on center stile of the face frame and can be flipped as necessary

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE




(\*) **WBC2742** has three adjustable shelves

FACE FRAME  
OPENING DIMENSIONS




INSTALLATION DIAGRAM


27" (Can be pulled out up to 30")



## Wall Range Hood Front Structure



## INSTALLATION DIAGRAM



## NKBA STANDARD COOKING SURFACE CLEARANCE

## RECOMMENDED

- Allow 24" of clearance between the cooking surface and a protected, non-combustible surface (e.g. a range hood) above it.

## CODE REQUIREMENT

- At least 30" of clearance is required between the cooking surface and an unprotected, combustible surface (e.g. cabinetry) above it.\*
- If a microwave hood is used, then the manufacturer's specifications should be followed.

(\*) *IRC M 1901.1 and IRC G 244705*

Source: National Kitchen and Bath Association

# WALL CABINETS

## Wall Easy Reach


Order Code: **ERC2430\***  
**ERC2436**  
**ERC2442\*\***

- Bi-folding door
- Two adjustable shelves
- Soft close not available


\*ERC2430 shares door&frame with LSB36

(\*\*)ERC2442 has 3 shelves

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE




TOP VIEW




## Wall Microwave Cabinet\*

Order Code: **MO3030**  
**MO3036**  
**MO3042**

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE



\*They will be discontinued and replaced with MO3018 + W3012/W3018/W3024  
(Pg.17)



## Wall Microwave


Order Code: **WMR3018 + 3018MO**

- Intended for "countertop" style microwave
- Unfinished interior
- Finished shelf is 5/8" thick and 15" deep

### OPENING DIMENSIONS


	WIDTH	HEIGHT	DEPTH
Interior Dimension	28 1/2"	13 1/4"	10 5/8"
Frame Opening w/Shelf	26 3/4"	13"	14 5/8"

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE



## Wine Rack


\* **WRC2430** will be discontinued



●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE

Order Code: **WMR3018 + 3018RC**

- Finished interior
- Can be used horizontally or vertically
- Can be used in a wall or base application



## Wine Rack

\* **WRC3015** will be discontinued

Order Code: **WRC3015**

\* Can be used as Towel Holder cabinet

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE


## WALL CABINETS

## Wall Plate Rack

Order Code: **PR3015**

- Can hold 10 plates


	MB
	MW
	MO
●	AW
●	AG
●	AM
●	SW
	ST
●	SB
	JG
●	CM
●	PW
	SE



## Wine Glass Holder

Order Code: **SGH30**

	MB
	MW
	MO
●	AW
●	AG
●	AM
●	SW
	ST
●	SB
	JG
	CM
●	PW
●	SE




\* Pls call for availability

## Cut Glass for Door

Order Code: **GD WXX30**  
**GD WXX36**  
**GD WXX42**

- Glass not included

●	AW
●	AG
	AM
●	SW
	ST
	SB
	JG
	CM
●	PW
●	SE



## CABINET IDENTIFICATION

The letter(s) represent the name of the cabinet, and the following set of numbers represents the width of the cabinet.

**B 24**

Base Cabinet      Cabinet Width

Whenever a base cabinet has all drawers and no doors, also known as a drawer base, the cabinet code will start with a number. This represents the number of drawers the cabinet has.

**3 DB 24**

3 Drawers      Drawer Base Cabinet      Cabinet Width

## ORDER CODING

All base cabinet order coding begins with the door order code

Example: **AG BT9**

## SPECIAL NOTES

- Base cabinetry is 24" deep less otherwise noted
- Single and bi-fold door base cabinetry is hinged on the right side of the face frame but can be flipped as necessary

## AVAILABILITY KEY

<span style="color: orange;">●</span>	Indicates availability
	Indicates no availability




Look for the lightbulb for helpful design tips!

## BASE CABINETS

### Base Spice Drawer


Order Code: **BSDC6**



● AW	
● AG	
● SE	

\* **BSDC6** will be discontinued

● MB	
● MW	
● MO	
● AW	
● AG	
● AM	
● SW	
● ST	
● SB	
● JG	
● CM	
● PW	
● SE	



**BT6**

### Base Single Door

Order Code: **BT9\***

**B12**  
**B15**  
**B18**  
**B21**


\*We only make Full-Height-Door Base9

- One adjustable shelf



The **BT9** is a great cabinet to use for storing trays, baking sheets, and cutting boards.

● MB	
● MW	
● MO	
● AW	
● AG	
● AM	
● SW	
● ST	
● SB	
● JG	
● CM	
● PW	
● SE	



### Base Double Door

Order Code: **B24**


**B27**  
**B30**  
**B33**  
**B36**


**B39\***  
**B42\***

- One adjustable shelf

\* Come with 2 drawers on the top

● MB	
● MW	
● MO	
● AW	
● AG	
● AM	
● SW	
● ST	
● SB	
● JG	
● CM	
● PW	
● SE	






## Two Drawer Base

Order Code: **2DB30**  
**2DB33**  
**2DB36**

- Two deep drawers
- Heavy load-bearing, full extension glides
- Rated for 100 lbs.

*Great for storing pots and pans near a cooking station.*

MB
MW
MO
AW
AG
AM
SW
ST
SB
JG
CM
PW
SE



## Three Drawer Base


Order Code: **3DB12**  
**3DB15** **3DB18**  
**3DB21** **3DB24**  
**3DB27** **3DB30**  
**3DB33** **3DB36**

- Three deep drawers
- Top drawer aligns with standard base cabinetry

*Wider drawer bases are great for storing utensils, pots, and pans near a cooking station.*

MB
MW
MO
AW
AG
AM
SW
ST
SB
JG
CM
PW
SE

\* **DFB18** will be discontinued



## File Base 18

Order Code: **DFB18**

MB
MW
MO
AW
AG
AM
SW
ST
SB
JG
CM
PW
SE


# BASE CABINETS

## Sink Base

Order Code: **SB30**  
**SB33**  
**SB36**  
**SB39**  
**SB42**

- False drawer front

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE



Pls check page24 for Farmer Sink Base


## Sink Base Diagonal

Order Code: **DCSB42**

- False drawer front
- No shelf


**A whole completed unit.**


●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE



When using a corner sink application, it is recommended that a dishwasher be set at least 15" apart from the sink cabinet to allow for standing room and functionality.

## TOP VIEW





## Lazy Susan \*

Order Code: **LSB33**  
**LSB36**

\* Wooden tray are not included,  
 need to be purchased separately.

- Full shelf
- Full height, bi-folding door
- Soft close not available
- Magnetic door catch attached
- Designed to prevent warpage

MB
MW
MO
AW
AG
AM
SW
ST
SB
JG
CM
PW
SE



Order Code: **TB33-36**

\* Wooden tray is sold by piece, not set of 2

- Fit LSB33 / LSB36
- Natural Wood Finish
- Trays are made of wood veneered plywood with a solid wood perimeter lip
- Undermount bearings allow for independent rotation and full access to trays

Height: 1 3/4" Outside

7/8" Inside



Order Code: **HTBW33-36**

- Fit LSB33 / LSB36

\* Wooden tray is sold by piece, not set of 2

Height: 6" Outside


5 3/8" Inside

## BASE CABINETS


## Farmer Sink Base

Order Code: **FSB36**

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE



## NOTES




## Base Blind Corner


Order Code: **BBC36**

- 27" Wide
- One adjustable shelf
- Door and drawer can be flipped for left or right application
- Hinges are located on the center stile of the face frame and can be flipped as necessary
- Same size door, drawer, and door opening as **BT9**

### INSTALLATION DIAGRAM (BBC39 SHOWN)



### FACE FRAME OPENING DIMENSIONS




●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE

# BASE CABINETS



## Base Blind Corner (Full Height Door)

Order Code: **BBC39**  
**BBC42**  
**BBC45**

- One adjustable shelf
- Cabinet must be pulled a minimum of 3" from adjacent wall
- Door and drawer can be flipped for left or right application
- Hinges are located on the center stile of the face frame and can be flipped as necessary
- Same size door, drawer, and opening as **B12/B15/B18**




### FACE FRAME OPENING DIMENSIONS




 **BBC42** Can be pulled a minimum of 42" to a maximum of 48"  
 We suggest to pull only up to 45"  
 Minimum and maximum pull includes cabinet width

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE



TOP VIEW



## Angled End Base

Order Code: **BEC24**

- One adjustable shelf
- Full height door

	MB
	MW
	MO
	AW
●	AG
	AM
●	SW
●	ST
●	SB
	JG
●	CM
●	PW
●	SE

\* **BEC24** will be discontinued

## NOTES

---



---



---



---



---



---


## SPECIAL BASE CABINETS

### Knee Drawer

Order Code: **VKD36**

- Extended stiles of face frame allow for drawer to be cut down to 24" wide
- Side-mount, epoxy glides only
- Beveled outside edge

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE




### Base Spice Rack

Order Code: **BSPR9** **BSPR12**

- 5-piece front
- Full extension glides without soft close
- Hardwood interior
- 20 5/8" shelf depth
- Requires decorative hardware to pull open
- Can hold a variety of spice container sizes

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CS
●	PW
●	SE




### Base End Shelf

\* **BOE12** will be discontinued

Order Code: **BOE12**

- Pre-assembled
- Stained or Painted to matching color
- Plywood Construction
- **Loose TKC is included in the package**
- Pre-drilled positioning hole for Loose TKC on TOP & BOTTOM

●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE



## CABINET IDENTIFICATION

The letter or letters represent the type of cabinet, the first set of numbers represent the width of the cabinet, and the second set of numbers represents the height of the cabinet.

**U 18 84**

Utility Pantry      Cabinet Width      Cabinet Height

## ORDER CODING

All tall cabinet order coding begins with door order code.

Example: **SW U1884**

## SPECIAL NOTE

- Tall cabinets are 24" deep
- Our tall pantry is divided into BOTTOM & UPPER two portions, height of bottom portion is fixed at 54"

## AVAILABILITY KEY

<span style="color: orange;">●</span>	Indicates availability
	Indicates no availability

## TALL CABINETS


### Utility Pantry Single Door

Order Code: **U1884 (U1854+U1830)**  
**U1890 (U1854+U1836)**  
**U1896 (U1854+U1842)**

- Accepts 18" rollout trays  
(**RS18** pg. 54) (ordered separately)
- Apply the SCR or BAM or USV2496 to cover the seam.

★ Our tall pantry is divided into LOWER&UPPER two portions,  
height of bottom portion is fixed at 54"

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE




SKU	UPPER HEIGHTS	# OF SHELVES IN UPPER	# OF SHELVES IN LOWER
UP1884	30"	TWO	THREE
UP1890	36"	ONE	THREE
UP1896	42"	THREE	THREE

### NOTES \*

• By Stacking different upper portion of pantry, you can creat a pantry with unusual heights

For Example : **U1870 (U1836+U1830+TKC)**

**U18118 (U1842+U1836+U1836+TKC)**



## Utility Pantry Double Door

Order Code: **U2484(U2454+U2430)**

**U2490(U2454+U2436)**

**U2496(U2454+U2442)**

**U3084(U3054+U3030)**

**U3090(U3054+U3036)**

**U3096(U3054+U3042)**

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CS
●	PW
●	SE

- 24" wide pantries accept 24" rollout trays  
**(RS24 pg. 54)**
- 30" wide pantries accept 30" rollout trays  
**(RS30 pg. 54)**
- Apply the SCR or BAM or USV2496 to cover the seam.

★ Our tall pantry is divided into LOWER&UPPER two portions, height of bottom portion is fixed at 54"

SKU	UPPER HEIGHTS	# OF SHELVES IN UPPER	# OF SHELVES IN LOWER
U2484	30"	TWO	THREE
U2490	36"	TWO	THREE
U2496	42"	THREE	THREE
U3084	30"	TWO	THREE
U3090	36"	TWO	THREE
U3096	42"	THREE	THREE

### ★ NOTES




• By Stacking different upper portion of pantry, you can creat a pantry with unusal heights

For Example : **U2470 (U2436+U2430+TKC)**

**U30118 (U3042+U3036+U3036+TKC)**


## SPECIAL TALL CABINETS

### 36" Stacked Utility Pantry




Order Code:  
W361824  
W362424  
W363024


\* Filler might be needed to reach expected height



Order Code:  
W363024




Order Code:  
S2436




Order Code:

**B36**




**FHB36**



**3DB36**

MB
MW
MO
AW
AG
AM
SW
ST
SB
JG
CM
PW
SE




**2DB36**

MB
MW
MO
AW
AG
AM
SW
ST
SB
JG
CM
PW
SE

### Single Oven Cabinet

Order Code: **03384 (03366+0331824)**  
**03390 (03366+0332424)**  
**03396 (03366+0333024)**



\* Our Oven is divided into LOWER & UPPER two portions,  
height of bottom portion is fixed at 66" H



## CABINET IDENTIFICATION

The letter or letters represent the name of the cabinet, and the following set of numbers represents the width of the cabinet.

**VS 24**



Vanity Sink Base Cabinet      Cabinet Width

Whenever a bath cabinet has all drawers and no doors, also known as a drawer base, the cabinet coding will start with a number. This represents the number of drawers the cabinet has.

**3 VDB 12**



3 Drawers      Vanity Drawer Base Cabinet      Cabinet Width

## ORDER CODING

All bath cabinet order coding begins with the door order code.

Example: **AG VS30**

## SPECIAL NOTES

**\* Bath cabinetry is 34 1/2" high and 21" deep**

## AVAILABILITY KEY

	Indicates availability
	Indicates no availability

# BATH CABINETS


## Vanity Base with 1 Door

Order Code: **VB12**  
**VB15**  
**VB18**  
**VB21**

- One shelf

**\* Available on 6/1/2026**


●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CS
●	PW
●	SE



## Bottom Drawer Vanity Base

Order Code: **VSD24**  
**VSD27**  
**VSD30**

- One Functioning Drawer at the bottom



**\* VB24**  
**\* VB27**  
**\* VB30**

When drawer is put on the top


	MB
	MW
	MO
●	AW
●	AG
	AM
●	SW
●	ST
●	SB
●	JG
●	CS
●	PW
●	SE

## Vanity Sink Base with 2doors

Order Code: **VS24**  
**VS27**  
**VS30**  
**VS33**  
**VS36**

- No shelf
- For single bowl installation only
- Two doors
- Top drawer is a false door front

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CS
●	PW
●	SE




\* V3021DL/DR will be discontinued

## Vanity Combo Two Drawer / Door

Order Code: **V3021DL**(One door only)  
**V3021DR**(One door only)

- No shelf
- For single bowl installation only
- Drawers remain a constant 12" wide
- Top drawer is a false drawer front
- Finished toe kick included (cut to size)

	MB
	MW
	MO
●	AW
●	AG
●	AM
●	SW
	ST
	SB
	JG
	CM
●	PW
●	SE




\* V3621DL/DR will be discontinued

## Vanity Combo Two Drawer / Door

Order Code: **V3621DL** (shown)  
**V3621DR**

- No shelf
- For single bowl installation only
- Drawers remain a constant 12" wide
- Top drawer is a false drawer front
- Finished toe kick included (cut to size)

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE




\* VSD will be discontinued

## Vanity Base With Drawers On Top

Order Code: **VSD36**  
**VSD42**

**VSD48** only available for PW

	MB
	MW
	MO
	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE




## BATH CABINETS

## Vanity Drawer Base Three Drawer

Order Code: **3VDB12****3VDB15****3VDB18****3VDB21****3VDB24****3VDB27**

- Two deep drawers
- Top drawer aligns with standard base cabinetry


●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CS
●	PW
●	SE



## Vanity Roll Out

Order Code: **SBROXX**

- Pre-assembled, Hand Polished
- 3/4" thick, solid wood
- Under Mount Rail



Item Code	Net Width (W1)	Width (With Rails)
SY-SBR024	20" (508mm)	20-5/8" (524mm)
SY-SBR027	23" (584mm)	23-5/8" (600mm)
SY-SBR030	26" (660mm)	26-5/8" (676mm)
SY-SBR033	29" (736mm)	29-5/8" (752mm)
SY-SBR036	32" (812mm)	32-5/8" (828mm)


## ORDER CODING

All panel and skin order coding begins with door order code.

Example: **PW DWR**

## SPECIAL NOTES

- Consider grain direction when designing
- Use **BAM**, **OCM** and **SCR** to finish seams, end of runs, and corners where panels meet



### Dishwasher Panel (Plywood)

Order Code: **DWR**

- Intended for use next to a dishwasher
- 3/4" thick, veneered plywood panel, finished on outside
- Panel bored for assembly along one unfinished side
- 3/4" thick, solid wood return filler, finished on front and sides

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE

### TOP VIEW



## PANELS AND SKINS

### Refrigerator Panel (Plywood)

Order Code: **REPV2496**

**F1.5\***


- Intended for use next to or flanking a refrigerator to conceal sides and support wall cabinetry above the appliance
- 1/2" thick, veneered plywood panel, finished on both sides
- Panel bored for assembly along one side
- 1 1/2" thick, solid wood return fler, finished on front and sides

**\*F1.5** needs to be ordered separately.



Refrigerator panels can be cut to fit in the field and used as a shelving solution for many design situations.

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE



TOP VIEW




### Matching Color Shelf Board (Plywood)

Order Code: **S2496**

- Both Sides are finished
- All Edges are finished
- 3/4" Thick


●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE



**Natural Color Shelf Board For Making Additional Shelves (Plywood)**  
Order Code: **CX-S2496**

(\*) For stained finish, construction is either veneered plywood or MDF core. For painted finish, construction is MDF core.

## PANELS AND SKINS



### Wall Skin\* (MDF)


Order Code: **WSV42**

- 1/4" thick
- One finished side
- Intended for skinning sides of wall cabinetry
- Cut width and height to fit
- Used to make sure side of cabinet is flush with frame

*Use WSV42 to flush sides before applying a decorative wall false door.*



●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE



### Base Skin\* (MDF)


Order Code: **BSV**

- 1/4" thick
- One finished side
- Intended for skinning sides of base cabinetry
- Cut width and height to fit
- Notch for toe kick in field as necessary
- Used to make sure side of cabinet is flush with frame

*Use BSV to flush sides before applying a decorative base false door.*



●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE



### Tall Skin\* (MDF)

Order Code: **USV2496**

- 1/4" thick
- One finished side
- Intended for skinning sides of tall cabinetry
- Cut width and height to fit
- Notch for toe kick in field as necessary
- Used to make sure side of cabinet is flush with frame

*Use USV42 to flush sides before applying a decorative pantry false door.*



●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE

## PANELS AND SKINS




(\*) For stained finish, construction is either veneered plywood or MDF core. For painted finish, construction is MDF core.

### Island Back Skin\* (MDF)

Order Code: **FPV3696** Actual size 34 1/2" x 96"  
**FPV4296**

- 1/4" thick
- One finished side
- Intended for skinning exposed backs of peninsulas, islands, and other design applications

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE



TOP VIEW



### Island End Panel (Plywood)

Order Code: **IEP3696**

- 1/2" thick
- One finished side
- Intended for skinning exposed backs of peninsulas, islands, or exposed sides of cabinetry


●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE

When butting two panels side-by-side, disguise the cut in a routed groove or apply **BAM** (pg. 46) for seam coverage.



(\*) For stained finish, construction is either veneered plywood or MDF core. For painted finish, construction is MDF core.

## PANELS AND SKINS



### Wall Decorative Door\*\*

Order Code: **WDEP30**  
**WDEP36**  
**WDEP42**


- False door matches ordered door style
- 3/4" thick, decorative door panel for finishing sides of exposed cabinetry
- Back of the panel is flat and requires a **WSV42** (pg. 39) to sit flush on cabinet side

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE

#### ACTUAL DOOR SIZES

SKU	WIDTH	HEIGHT	DEPTH
WDEP30	11 1/2"	29 1/2"	3/4"
WDEP36	11 1/2"	35 1/2"	3/4"
WDEP42	11 1/2"	41 1/2"	3/4"

(\*\*) There is a plus or minus 1/4" tolerance on **WDEP**  
Use to finish the backs of islands for a complete design.



### Base Decorative Door\*\*

Order Code: **BDEP/TDEP30**

- False door matches ordered door style
- 3/4" thick, decorative door panel for finishing sides of exposed cabinetry
- Back of the panel is flat and requires a **BSV** (pg. 39) to sit flush on cabinet side

SKU	WIDTH	HEIGHT	DEPTH
BDEP	23 1/2"	29 1/2"	3/4"

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE

(\*\*) There is a plus or minus 1/4" tolerance on **BDEP**  
Use to finish the backs of islands for a complete design.



## PANELS AND SKINS

### Pantry Decorative Door\*\*



Order Code: **TDEP2484** (TDEP2454+TDEP2430)

**TDEP2490** (TDEP2454+TDEP2436)

**TDEP2496** (TDEP2454+TDEP2442)

- False door matches ordered door style
- 3/4" thick, decorative door panel for finishing sides of exposed cabinetry
- Back of the panel is flat and requires a **USV2496** to sit flush on cabinet side

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE



(\*\*) There is a plus or minus 1/4" tolerance on **TDEP**. Use to finish the backs of islands for a complete design.

### Vanity Base Decorative Door\*\*

Order Code: **VDEP** will be discontinued


**W2130-D**

- False door matches ordered door style
- 3/4" thick, decorative door panel for finishing sides of exposed cabinetry
- Back of the panel is flat and requires a **BSV** to sit flush on cabinet side

#### ACTUAL DOOR SIZES

SKU	WIDTH	HEIGHT	DEPTH
VDEP	20 1/2"	29 1/2"	3/4"

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE




## ORDER CODING

All molding and trim order coding begins with door order code.

Example: **PW CM8**

## MOLDING CONSTRUCTION KEY

Solid wood




## Angled Crown Molding

Order Code: **ACM8**

- Solid wood
- Molding comes in a single 8' piece

●	CM
●	JG
●	SE




**Milton Series Only Carry Angled Crown Molding**

**ACM2.5**

**ACM3.5**

**ACM4.5**

●	MB
●	MW
●	MO




## Crown Molding

Order Code: **CM8**

- Solid wood
- Molding comes in a single 8' piece

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE




## MOLDING AND TRIM

### Decorative Crown Molding

Order Code: **DCM**

- Solid wood
- Molding comes in a single 8' piece

	MB
●	MW
	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE




### Insert Crown Molding

Order Code: **ICM**

- Solid wood
- Molding comes in a single 8' piece
- 7/8" section accepts applied decorative inserts

	MB
●	MW
	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE





### Rope Molding


Order Code: **ROPE**

- Solid wood
- Molding comes in a single 8' piece

●	AW
●	AG
●	PW
●	SW



Can be applied to **ICM** .



## Cove Molding

Order Code: **COV**


- Solid wood
- Molding comes in a single 8' piece
- Contemporary Style

\* SG has COV2.5 and COV 3.5 available

	MB
	MW
	MO
	AW
●	AG
●	AM
●	SW
●	ST
	SB
●	JG
●	CM
●	PW
●	SE

## Countertop Edge Molding

Order Code: **CTM8**




- Solid wood
- Molding comes in a single 8' piece



\* **CTM8** also can be used as Light Rail Molding, or Crown Molding, or Edge Molding for skinning the wall bottom


●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE



## Outside Corner Molding

Order Code: **OCM**

- Solid wood
- Molding comes in a single 8' piece



Intended to finish outside corners concealing the seams where two skins or panels meet.

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE


## MOLDING AND TRIM

### Batten Molding

Order Code: **BAM**

- Solid wood
- Molding comes in a single 8' piece

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE



*Intended to finish seams where two skins or panels meet.*

### Shoe Molding


Order Code: **SHM**

- Solid wood
- Molding comes in a single 8' piece



*Intended to finish the base of cabinetry, backs of islands, or peninsulas where skin or toe kick meets flooring.*

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE






### Scribe Molding

Order Code: **SCR**

- Solid wood
- Molding comes in a single 8' piece

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE







## Toe Kick

Order Code: **TK8**

- 1/2" thick, veneered plywood
- Molding comes in a single 8' piece

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE




## Furniture Base Molding

Order Code: **FBM**


- Solid wood
- Designed for use as a decorative baseboard, or a starter molding for stacking crown to the ceiling

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE



## CROWN INSTALL DIAGRAM



## BASE INSTALL DIAGRAM



## MOLDING AND TRIM



### Traditional Light Rail

Order Code: **LRM**

- Solid wood
- Molding comes in a single 8' piece
- Light rail is intended to be applied to the bottom of a wall cabinet

	MB
	MW
	MO
●	AW
●	AG
	AM
●	SW
●	ST
●	SB
●	JG
	CM
●	PW
●	SE


**LRM** can be inverted and used as a unique top molding as well.




### Traditional Angled Light Rail

Order Code: **ALRM**

- Solid wood
- Molding comes in a single 8' piece
- Light rail is intended to be applied to the bottom of a wall cabinet



	MB
	MW
	MO
●	AW
●	AG
	AM
	SW
	SG
	SB
	JG
	CS
	PW
●	SE
	YC




## Classic Corbel

Order Code: **CBT**

- Solid wood

	MB
	MW
	MO
●	AW
●	AG
●	AM
●	SW
	ST
●	SB
●	JG
●	CM
●	PW
●	SE



## Simple Corbel

Order Code: **CB9**

- Solid wood

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE


## MOLDING AND TRIM

### 3" Wall & Base Filler

Order Code: **WF342**

- Solid wood
- Also used as wall and tall filler
- Finished on all sides

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE



42"

3/4"

3"


6"

### Arched Valance

Order Code: **VA48**

- Solid wood
- Can be cut down on either side

	MB
	MW
	MO
●	AW
●	AG
	AM
●	SW
	ST
●	SB
	JG
	CM
●	PW
●	SE



48"

3"


6"

### 6" Wall & Base Filler

Order Code: **WF642**

- 3/4" thick solid wood
- Finished front and sides
- Cut width/height to fit as necessary


●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE



42"

3/4"

6"




## Tall Filler

Order Code: **TF396**  
**TF696**

- 3/4" thick solid wood
- Finished front and sides
- Cut width/height to fit as necessary
- Must be used with full overlay door to prevent doors and hardware from binding on adjacent walls, deeper adjacent cabinetry, or corner applications

*Can be used as starter molding to build crown to the ceiling.*

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE



## Tall Flute Filler

Order Code: **FF396**


- 3/4" thick solid wood
- Finished front and sides
- Cut width/height to fit as necessary
- Must be used with full overlay door to prevent doors and hardware from binding on adjacent walls, deeper adjacent cabinetry, or corner applications

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE

## Split Decorative Leg

Order Code: **SDL**

- Solid wood
- Trimmable up to 6" from the top
- When installing on a 3 1/2" wide filler, be sure to adjust hinges on adjacent doors to eliminate possible binding on the decorative leg
- Shadows indicate trimmable areas




●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE
●	YC

### Decorative Leg

Order Code: **CLDL**

- Solid wood

	MB
	MW
	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
	JG
	CM
●	PW
●	SE




### Decorative Leg

Order Code: **FLDL**

- Solid wood

	MB
	MW
	MO
●	AW
●	AG
●	AM
●	SW
	ST
●	SB
	JG
●	CM
●	PW
●	SE



# Bun Feet



\* Pls call for availability

Order Code: **BFT**

- Solid wood

STYLE	HEIGHT	WIDTH
Squared	4 1/2"	4 1/2"

	MB
	MW
	MO
	AW
●	AG
	AM
●	SW
	ST
●	SB
	JG
	CS
●	PW
	SE
	YC




# Touch-Up Marker

Order Code: **KIT**

- Felt-tipped marker filled with stain or paint
- For small scuffs or scratches

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	ST
●	SB
●	JG
●	CM
●	PW
●	SE



## Roll outs

### ORDER CODING

Example: **RS30**

### SPECIAL NOTE


- Sold separately from cabinets

## Roll Out Tray

Order Code:

**RS18**  
**RS21**  
**RS27**  
**RS30**  
**RS33**  
**RS36**



- Solid wood, dovetail construction
- 2 1/2" high sides
- Sidemount, full extension glides
- For 24" deep cabinets



## Trash Pull Out Single Standard Base

Order Code: **BTP015**

- Solid wood, dovetail base support
- Undermount, full extension glides with soft close
- Comes with one 35 quart waste container
- Can be fitted in B15



## Trash Pull Out Double Standard Base


Order Code: **BTP018**

- Solid wood, dovetail base support
- Undermount, full extension glides with soft close
- Comes with two 30 quart waste containers
- Can be fitted in B18

## 6-Way Adjustable, Soft Close Hinge (1 1/4")

Order Code: **AC-SCH125**

- Built-in, soft close feature




## Soft Close, Undermount Glide Pair

Order Code: **AC-RAIL15**

**AC-RAIL18**

**AC-RAIL21**



- Full extension
- Undermount
- Soft close
- Numbers indicate cabinet depth not glide depth

## How to Clean Your Cabinets

The finish on our cabinetry is just like that of a high quality piece of furniture. Although it is designed to protect against normal, every day home use, general upkeep, and cleanliness are very important. With proper care, your cabinetry will look great for generations to come.

### Dusting

Dust your cabinets frequently with a soft, lint-free cloth. If need be, slightly dampen the cloth with water or a spray-type dust remover.

### Spills

Clean spills and splatters immediately. Prolonged exposure to spills, including food, water, oil, grease, and other liquids, can cause permanent discoloration and/or damage to your cabinet's finish. To clean spills, use a clean, soft cloth dampened with mild soap. Dry immediately with another clean, soft cloth.

### Cleaning

Use a clean, soft cloth dampened with mild soap to clean your cabinets. Dry immediately with another clean, soft cloth. There are also a variety of wood cleaning products available for use on cabinetry.

### Waxing & Polishing

Waxing your cabinets is not required or recommended. Over time, the wax will build up on the surface of the cabinet. This can cause a hazy, streaky, or yellowed appearance, as well as attract dust particles. The wax can become very difficult to remove. We recommend that you clean and polish your cabinets once or twice each year. To polish your cabinets, use a light coat of quality furniture polish.

### Glass Doors

If you have glass panels installed in your cabinet doors, you will want to clean them periodically. To clean the glass, you can use any commercial glass cleaner. Never apply glass cleaner directly to the glass. Spray a small amount of cleaner onto a clean, soft cloth or paper towel, then wipe the glass. Be careful not to damage the cabinet finish or hardware while cleaning.

### Hardware

You will want to periodically clean knobs, pulls, or handles installed on your cabinet doors/ drawers. To do so, use a clean, soft cloth dampened with mild soap. Thoroughly dry all hardware joints, surfaces, and the surrounding area with another clean, soft cloth.

### Products to Avoid

- Harsh chemicals
- Solvents or petroleum-based products, such as mineral spirits, nail polish removers, or paint thinners
- Abrasive cleaning products
- Ammonia or cleaning products that may contain ammonia
- Bleach or cleaning products that may contain bleach

# CLEANING, CARE, AND MAINTENANCE

## How to Care for Your Cabinets

### Self-Cleaning Appliances

Self-cleaning appliances use intense heat during the clean cycle. During installation and with age, the integrity of the seal or gasket on the appliance can be compromised. Because of this, We recommends the removal of any cabinet doors and/or drawers located adjacent to or directly above the appliance during a cleaning cycle.

### Heat-Producing Appliances

Mounting or placing heat-producing appliances beneath cabinets is not recommended. The excess heat and moisture from appliances, such as coffee makers and toaster ovens, can damage your cabinets.

### UV Effects

Ultraviolet light rays from natural sunlight can affect the appearance of your cabinets. The appearance of your cabinet(s) may change over time depending on the natural characteristics of wood and the applied finish, the amount/direction of light exposure, and the portion of the cabinet that receives light.

## Cabinet Maintenance

No matter how careful you are with your cabinetry, normal wear and tear from everyday use is inevitable. This is why we has made it easier than ever to keep your cabinets looking brand new.

### Touch-Up

We offer touch-up markers and fill sticks that have been specially formulated for each of our high-quality cabinet finishes. Your design professional can assist you in how to order and how to use these products.

**NOTE:** Substantial repairs may require the help of a professional refinisher.

### Adjusting Your Cabinetry Hardware

Over time, the door hinges, soft close pistons, drawer glides, and decorative hardware on your cabinetry may need to be tightened or adjusted. All of our hardware has been designed to be easily adjusted with a Phillips-head (crosshead) screwdriver. Soft close pistons are adjusted by simply turning the small dial on the backside of the piston with your finger.

# PRODUCT AND FINISH INFORMATION

Because we use real wood in our products, there are certain characteristics and qualities with which you may not be familiar. Because your satisfaction is our number one priority, we want to make sure you are fully aware of the important information listed below regarding our cabinetry and the applied finish.

## Expansion & Contraction

Because half of the weight of freshly cut wood is water, these natural properties are such that they can react to climate or humidity changes in your home. Our Cabinet doors and face frames are manufactured from solid wood that has been carefully kiln-dried, retaining just enough moisture for proper construction and finishing. The center panels of our cabinet doors are either wood or medium density fibreboard. As a product of nature, solid hardwoods continue to react to their surroundings long after the manufacturing process has been completed. When wood cabinet doors are in a warm, moist environment (high humidity), the wood expands. In a dry, colder environment (low humidity), the wood will contract. Even with humidity regulation, this phenomenon can be controlled, but it can never be completely eliminated.

Door panels are prone to minor expansion and contraction as seasonal temperature and humidity changes occur in a home. The contraction (shrinkage) of the center door panel during low humidity periods may result in the appearance of an unfinished line along the edge of the center panel. We do not consider the appearance of an unfinished line as a defect and will not replace doors due to this situation. It is recommended that a humidity control system is incorporated in a home to reduce the possibility of expansion and contraction in wood products. Touch-up markers are made available to cover this edge line. Oftentimes, touch-up for this issue may only be necessary within the first year.

**We are not responsible for any of these conditions and variations.**

## Finishes

Over time, wood species in all finishes will exhibit color changes when exposed to different types of light and environment. Such color changes are to be expected and are not defects. Due to the natural variation and aging process of wood, minor differences may be observed in color match when replacing doors or adding cabinets at a later date. It is a characteristic of stained and painted wood finishes to age over time when exposed to smoke, sunlight, or general household cleaning chemicals.

Graining differences, mineral streaks, and wood color variations are expected in wood cabinetry and are not classified as defects. A newly installed kitchen could have these minor color variations.

We offer several types of painted finishes on cabinetry. Painted finishes are exceedingly different from the standard stained finish. Since normal movement is typical in wood products, certain climatic conditions can cause finish breaks, recesses, and joint/panel lines. Joint separation can be more visible on mitered doors. Consequently, in places and environments of extremely high or extremely low humidity, painted finishes are not recommended. Joint lines and variations are common attributes of painted finishes and will not be considered sufficient reasons for product replacement.

Some of our products have glaze finishes. Since glaze detailing is hand applied then hand wiped off, glaze may "hang up" or remain in any corners of the door or drawer profile. Because the glaze is a hand applied procedure, detailing can differ from piece to piece.

**NOTE:** *Independent testing has shown that discoloration will develop on doors, drawers, and cabinet parts after continued exposure to tobacco smoke. This is remarkably apparent on white and lighter finishes. We do not warrant discoloration in our products due to exposure to smoke.*

## Joint Lines

Expansion and contraction in doors and face frames can cause visible lines at the joints. The finish will still protect the surface, and the structural integrity of the joint will not be affected. An open joint line is not considered a defect.

# WARRANTY

## I. Description of Warranty

This warranty applies only to the original purchaser and is not transferrable. From the time of purchase, Sandi Cabinet offers an **Industrial Standard 2-Years Warranty** on all of its cabinetry. In addition to cabinetry, all drawers, shelves, roll out trays, and mechanical components are covered under the warranty as well. In the event that any Sandi Cabinet product fails during the course of normal use, Sandi Cabinet, at its discretion, will either repair or replace the defective product.

Whether the work was performed by a contractor, Sandi Cabinet authorized dealer, or you; any expenses involved in the shipping, removal, installation, or consequent damage of the defective product is not covered under this warranty. This warranty does not apply to products installed in mobile homes or recreational vehicles.

## II. Intended Use of Product

To be covered by this warranty, the product must be used only for its intended purpose(s). Cabinets that have been improperly stored, installed, misused, modified, mishandled, and/or subject to excessive moisture or extreme temperature and humidity levels are not covered under this warranty. In addition, any damage caused by smoking and/or environmental/chemical effects are also not covered under this warranty.

## III. Anticipated Variance in Product

The Sandi Cabinet warranty only applies to product defects and does not apply to properties of natural wood that are inherent in natural wood species. Any time you have a natural wood product, occurrences such as pinholes, knots, and variances in color or grain are normal and are not covered under this warranty.

Because half of the weight of freshly cut wood is water, its natural properties are such that they can react to climate and/or humidity changes in your home. Sandi Cabinet doors and face frames are manufactured from solid wood that has been carefully kiln-dried, retaining just enough moisture for proper construction and finishing. These hardwoods continue to react to their surroundings long after the manufacturing process has been completed. When wood cabinet doors are in a warm, moist environment (high humidity), the wood expands. In a dry, colder environment (low humidity), the wood will contract. Even with humidity regulation, this phenomenon can be controlled, but it can never be completely eliminated.

Door panels may also be prone to this minor expansion and contraction as seasonal temperature and humidity changes occur in your home. The contraction (shrinkage) of the center door panel during periods of low humidity may result in the appearance of an unfinished line along the edge of the center panel. Sandi Cabinet does not consider the appearance of this line as a defect and will not replace doors due to this situation. Touch-up markers are made available to cover this edge line. The installation of a humidity control system is recommended to reduce the possibility of expansion and contraction in wood products.

All Sandi Cabinet doors are manufactured in moisture-controlled environments under precise specifications. Although slight door warpage can be common in one or two doors within a newly installed kitchen, any door that has not been through a complete heating and cooling cycle has the possibility of warping. Slight warpage can be eliminated through hinge adjustments. Any warping that continues to occur should be further examined by removing the door from the cabinet and placing it on a flat surface. Hinge spacers are available through your authorized Sandi Cabinet dealer in cases where the

warping cannot be eliminated through hinge adjustments. If warping cannot be eliminated through hinge adjustments or the use of hinge spacers, and if the doors have been through a complete heating and cooling cycle, and if all of the cabinets are true and plumb; then Sandi Cabinet will consider replacement. As mentioned above, normal movement in wood products is typical. In addition to issues listed above, climate conditions can cause finish breaks, recesses, and joint/panel lines. An open joint line is not considered a defect and is not covered under this warranty.

Cabinet has been subject to improper temperature, moisture and/or humidity extremes is not covered under this warranty.

(Temperature outside the range of 50-85F and humidity outside the range of 30-55% are considered extreme)

#### **IV. Product Repair or Replacement**

Throughout the duration of the warranty period, Sandi Cabinet's sole obligation is to repair or replace any defective product at no charge. This warranty only applies to cabinets and affiliated products sold by Sandi Cabinet offered through an authorized Sandi Cabinet dealer. In the event that a claim is filed after the original product has been discontinued or cancelled, Sandi Cabinet will honor the warranty, at its discretion, subject to the availability of the product, by either:

- Repairing or replacing the defective product with a new product of the same style  
**OR**
- Repairing or replacing the defective product with a product of equal value and complementary style in order to maintain the appearance of the original cabinetry purchase.

*An exact match between the finish of the original purchased product and the replacement or repaired product is not guaranteed.*

#### **V. Rights of Consumer**

There are no other warranties, disclosed or indicated, associated with this product. This document serves as a description of the consumer's definitive legal rights within the transaction and is the exclusive warranty of Sandi Cabinet. The exclusion or partial limitation of contingent or substantial damages is not permissible in some states. The consumer may also have further rights from state-to-state which are not cited in this warranty.

#### **VI. Submission of a Claim**

All claims must be submitted to the authorized Sandi Cabinet dealer where the cabinets were originally purchased. Claims are to be submitted in writing. Every claim must include a dated copy of the original sales receipt as proof of purchase. Unless and until the product is specifically requested by the Sandi Cabinet Claims Department, please do not send the defective item(s).

